

Kelin tile grout sabon samfuri ne na kwalliyar gida, wanda kwata-kwata maimakon wakilin d'inki. Anyi shi ne ta shahararen mai sana\ar kera kebabben tayal na China, kelin. Ana iya amfani dashi mafi kyau a cikin mahadan tayal yumbu, dutse, gilashi, tayal mosaic akan bango ko gari a bandaki, kicin, dakin kwana da sauransu. It yana da launuka iri-iri, kyalli mai haske kuma saman yana haske kamar ainin bayan ya warke. A lokaci guda, hujja ce ta shaci, hujja mai danshi, abota da muhalli, mara guba da kuma dandano mai laushi, yana kara iskar oxygen Mara kyau don tsarkake iska. Abu mai mahimmanci, ba tare da ci gaba da fuskantar tsananin hasken rana ba, samfurin ba zai zama rawaya ba, mai saukin tsafra da juriya ga datti. , don sa samfurin su zama masu daidaito. Gwanin tayal yana da sauvin gini.



Iri launuka don zabin ku. Hakanan samar da launuka na al'ada.



Bayar da Maganin Tazarar Duka Gabadaya




Takaitaccen Tsarin Tsari



Clean the tiles and
keep it dry




Polish with tile wax
except the glazed
tile



Open & Watch, both
sides can extruded
meanwhile




Screw on the nozzle,
put on the grout
gun



Inclined cut the top
of the nozzle in 45°



Squeeze out
60-80cm long grout
in the forepart



Evenly squeeze out
the tile agent along
the gap



Press the grout with
professional
glue-press tools



Don't touch in 4-5
hours and remove
excess grout then.



Keep the tiles dry in
24 hours

Kwararrun Matakan Hada Hadin Gwiwa



Two Component Caulking Gun



Cutter
Knife



Pointing
trowel



Brush



Forming
Stick



Perching
Knife



Masking
Tape



Stainless
Steel Ball



Cleaning
Awl

Amfanin Kamfanin



Bayanin Masana\antu



Layin Na'urar Yin Kuka



Injin gwaji



Layi Production Line



Sanyin Filing



Ciko Layin Na'ura



Injin da aka lullube da fim



Hakikanin Haja



Haja

Takardar shaida

