


Kelin Polyurea Tile Grout shine sabon samfurin da ke tattare. Kuma mu ma kwararre ne **polyurea tilal**. Saboda polyurea s kyakkyawan abin da-juriya, lalata juriya, juriya da rawaya, ana amfani dashi a masana'antar soji. Samfurin mu gaba ɗaya ne na al'ada samfurin, ana iya amfani dashi a cikin gidajen yumbu, dutse, gilashi, da ke cikin gida & waje. Yana da halayenta na musamman: tabbacin danshi mai danshi, mafi sauri, yin sauri, adana shi da fa'ida, wanda shine babbar fa'ida. Bugu da kari, yana haɓaka da sauri, gini da tsabta a rana ɗaya, adana lokaci da farashin kuɗi. Mafi mahimmanci, ana iya gina shi a cikin rigar gangara, wanda ya magance matsalar da ba zata iya sarrafawa ba saboda yanayin yanayi da sauran dalilai da sauran dalilai da sauran dalilai. Australia hadin gwiwar cigaba da kayayyakin ci gaba don yin kyakkyawan aiki, kuma ta hanyar ilimin kimiyyar kasar Sin kan Kimiyyar Kimiyya ta Kimiyya, don sanya ingantattun kayayyaki.



Irin launuka na launuka don zaɓinku. Hakanan samar da launuka na musamman.



Polyurea asali tile Grout fasali






**3rd GENERATION
POLYUREA BASIC**

ENVIRONMENTAL (construction solid about 80-100%)		WEATHER RESISTANCE (qv2000h)
CONVENIENT CONSTRUCTION (traditional construction method)		ENERGY CONSERVATION (-5°Csolidify , primary film formation is 375um)
WATER PROOF (0.6mm Polyurea=2mm Polyurethane)		WEAR RESISTANCE (750g/500 times abrasion loss 30mg) CORROSION RESISTANCE (salt fog resistance for 2000h)


Samar da cikakkiyar hanyar daki



Brief aikin gini



Kayan aikin karfafa gwiwa



Amfani da Kamfanin



Fastocin masana'anta



Layin injin cream



Injin gwaji



Bayanin sarrafa batutuwa



Sanyi mai sanyaya



Cika layin injin



Mashin mai rufi



Kayan Kayan Kayan Kayan Gaskiya



Jari

Ba da takardar shaida

